

ATTESTATION

No. 795-3/2025-TPC-4-TSCA

Inspection date: September 24, 2025

Under the terms of TSCA Title VI - Formaldehyde Standards for Composite Wood Products § 770.7 (c)(4)(i)(A-F)

Fraunhofer Institute for Wood Research

Wilhelm-Klauditz-Institut WKI
Riedenkamp 3, 38108 Braunschweig, Germany

- A) has verified that the panel producer quality assurance and quality control procedures are complying with the requirements,
- B) has verified the panel producer's quality control test results,
- C) has established a quality control limit (QCL) for the product type,
- D) established a process that will be used if products exceed the QCL,
- E) provided the CARB or EPA TPC number to the panel producer for labelling and recordkeeping and
- F) inspected the panel producer, its products and records as EPA approved Third-Party Certifier and according to Surveillance Agreement No. 795 in the third quarter of 2025 at:

AKRITAS S.A.
GR 68400
Provaton Soufliou
Greece

for the product:

AKRIPAN
particleboard, pine and beech, UF + MUF, unfaced
in the thickness range: $6 \text{ mm} \leq 38 \text{ mm}$

This attestation confirms the validity of the Certification No. 795-2019-03-TPC-4-TSCA and is valid until the end of the following quarter as long as the continuous supervision is carried out by Fraunhofer WKI quarterly unless the requirements and conditions change under which this certificate has been issued.

For more information about TSCA Title VI, please visit EPA at:
<https://www.federalregister.gov/documents/2016/12/12/2016-27987/formaldehyde-emission-standards-for-composite-wood-products>



Dipl.-Ing. Harald Schwab
Head of Department Quality Assessment
Braunschweig, November 11, 2025

